


Signature	Revision History	Date	Rev.
Norman Xu	For Bulk Production	Dec:20,2005	01



NOTE:

1.CABLE: [(10/0.08UEW+150D)*2C]*2F OD:0.8± 0.05*2.6± 0.2mm PU 90A JACKET COLOR:BLACK.

2.CONNECTOR:

P1&P2:φ 3.5mm STEREO PLUG,NICKEL PLATED CONTACT&SHELL.

P3:φ15mm 32ohm EARPHONE NATURAL MELODY P/N:00-0325-E-071.

P4:φ6mm MICROPHONE NATURAL MELODY P/N:0F-60501L36.

3.HOOD: P1: MOLDED TYPE,PVC 45P,COLOR:RED(PANTONE 701C). P2: MOLDED TYPE,PVC 45P,COLOR:GREEN(PANTONE 577C). P3: ASSY PLASTIC SHELL,COLOR:BLACK,SILVER. P4: ASSY PLASTIC SHELL,COLOR:BLACK.

4.ELECTRICAL TEST:


(1)100% OPEN SHORT & MIS WIRE TEST.

(2)CONTACT RESISTANCE 3 ohm Max.

(3)INSULATION RESISTANCE 20M ohm Min.

5.PACKING: SEE PAGE 5/5.

PIN OUT	P1	P4	P2	P3
1	_____	_____	_____	_____
2	_____	_____	_____	_____
3	_____	_____	_____	_____
	CENTER	SHELL	+5V POWER	CATHODE





1	2	3	4	5	6	7	8
1	2	3	4	5	6	7	8
<p>RoHS Compliant</p>				<p>STR1407</p>			
<p>ASSMANN Electronic GmbH</p>				<p>DA-RET-SET</p>			
<p>Part No.</p>		<p>Title</p>		<p>Scale</p>		<p>Sheet</p>	
<p>Dec:20,2005</p>		<p>Ø3.5mm STEREO PLUG&2+EARPHONE +MICROPHONE RETRACTABLE CABLE</p>		<p>N/A</p>		<p>1/5</p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p>MM</p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Norman Xu</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Alex Dan</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Approved by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Date</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Dec:20,2005</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	
<p>Checked by</p>		<p>DA-RET-SET</p>		<p></p>		<p></p>	

Signature	Revision History	Date	Rev.
Norman Xu	For Bulk Production	Dec:20,2005	01

1	2	3	4	5	6	7																				
A						A																				
B						B																				
C						C																				
D						D																				
E	<p>NOTE:</p> <p>1. CABLE: [28AWG(10/0.1 B,C)*1C]*4F OD:0.9*4.0± 0.2mm 60P PVC JACKET COLOR:BLACK.</p> <p>2.CONNECTOR: P1 & P2: RJ11 6P4C PLUG CONTACT: G/F.</p> <p>3.HOOD:MOLDED TYPE, PVC 30P, COLOR:BLACK.</p> <p>4.RETRACTABLE HOOD: ASS'Y TYPE, COLOR:BLACK.</p> <p>5.TEST REQUEST:</p> <p><1> .100% OPEN SHORT & MIS WIRE TEST <2> .CONTACT RESISTANCE 3 ohm MAX <3> .INSULATION RESISTANCE 20M ohm MIN</p> <p>6.PACKING: SEE PAGE 5/5.</p>					E																				
F						F																				
G	<table border="1"> <tr> <td>Part No.</td> <td colspan="3">DA-RET-SET</td> </tr> <tr> <td>Title</td> <td colspan="3">RJ11 - RJ11 RETRACTABLE CABLE</td> </tr> <tr> <td>Drawn by</td> <td>Dec:20,2005</td> <td>Norman Xu</td> <td></td> </tr> <tr> <td>Checked by</td> <td>Dec:20,2005</td> <td>Alex Dan</td> <td></td> </tr> <tr> <td>Approved by</td> <td></td> <td></td> <td></td> </tr> </table>					Part No.	DA-RET-SET			Title	RJ11 - RJ11 RETRACTABLE CABLE			Drawn by	Dec:20,2005	Norman Xu		Checked by	Dec:20,2005	Alex Dan		Approved by				G
Part No.	DA-RET-SET																									
Title	RJ11 - RJ11 RETRACTABLE CABLE																									
Drawn by	Dec:20,2005	Norman Xu																								
Checked by	Dec:20,2005	Alex Dan																								
Approved by																										
H	<p>STR1407</p> <p>ASSMANN Electronic GmbH</p> <table border="1"> <tr> <td>Scale</td> <td>N/A</td> <td>Sheet</td> <td>2/5</td> </tr> <tr> <td>Unit</td> <td>MM</td> <td colspan="2"></td> </tr> </table>					Scale	N/A	Sheet	2/5	Unit	MM			H												
Scale	N/A	Sheet	2/5																							
Unit	MM																									
1	2	3	4	5	6	7																				
<p style="text-align: center;">RoHS Compliant</p>																										


Signature	Revision History	Date	Rev.
		Dec:20,2005	01

1	2	3	4	5	6	7	
A	B	C	D	E	F	G	A



NOTE:

1. CABLE: [28AWG(10/0.1 B.C)*1C]*4F OD:0.9*4.0±0.2mm 60P PVC JACKET
COLOR:BLACK.
- 2.CONNECTOR:
P1 & P2: RJ45 8P8C PLUG CONTACT: G/F.
- 3.HOOD:MOLEDED TYPE, PVC 45P, COLOR:BLACK.
- 4.RETRACTABLE HOOD: ASSY TYPE, COLOR:BLACK.
- 5.TEST REQUEST:
 - <1>.100% OPEN SHORT & MIS WIRE TEST
 - <2>.CONTACT RESISTANCE 3 ohm MAX
 - <3>.INSULATION RESISTANCE 20M ohm MIN
- 6.PACKING: SEE PAGE 5/5.



PIN OUT	
P1	P2
1	1
2	2
3	3
6	6



Drawn by	Dec:20,2005	Norman Xu
Checked by	Dec:20,2005	Alex Dan
Approved by		

Part No.	DA-RET-SET
Title	RJ45-RJ45 RETRACTABLE CABLE

ASSMANN Electronic GmbH		Scale	N/A	Sheet	3/5
		Unit	MM		

RoHS Compliant


STR1407



USB A TYPE F
PLASTIC: WHITE

NOTE:

1. CABLE: [#32(19/0.05T.C)x1P + NYLON 150D,INS:HD-PE]x1F+[#30(10/0.08T.C)x1C+NYLON 150D,INS:HD-PE]x2F,
PVC JACKET COLOR:BLACK,OD:1.0x3.0± 0.15mm(USB 2.0)SUPPLIER:CABLETECH.
- 2.CONNECTOR:
 P1: USB A TYPE M SHORT TYPE CONTACT:G/F,SHELL:NI-PLATED.
 P2: USB A TYPE FEMALE CONTACT:G/F,SHELL:NI-PLATED.
 3.HOOD: MOLDED TYPE, PVC 45P, COLOR:BLACK.
 4.RETRACTABLE HOOD: ASSY TYPE, COLOR:BLACK.
 5.ELECTRICAL TEST:
 <1>.100% OPEN SHORT & MIS WIRE TEST.
 <2>.CONTACT RESISTANCE 3 ohm Max.
 <3>.INSULATION RESISTANCE 20M ohm Min.
 6.PACKING: SEE PAGE 5/5.



PIN OUT	
P1	P2
1	1 VCC
2	2 -DATA
3	3 +DATA
4	4 GND

RoHS Compliant

USB A/M-A/F RETRACTABLE CABLE